


PA21XL

Frese per Parallelometro


Coulisse



Gambo Iso	CODICE:	L mm	8.0	8.0	8.0	8.0	8.0
Hp 2.35 mm	PA 21 XL...	Ø 1/10mm	007	010	012	015	020
Iso 500 103 111			006 007	006 010	006 012	006 015	006 020

PA


Frese per Parallelometro cilindriche
Taglio X: Incrociato (anello blu)
Taglio F: Fine (anello rosso)



	L mm	9.0	10.0	9.0	10.0
CODICE: PA...	Ø 1/10mm	010X	015X	010F	015F
Hp GAMBO 2.35 mm					
Iso 500 103 137		190 010	190 015	135 010	135 015

PA...RXE


Frese per Parallelometro cilindriche
Taglio RXE: Incrociato Super grosso (Doppio anello nero)



	L mm	9.0	10.0	15.0
CODICE: PA...RXE	Ø 1/10mm	010	015	023
Hp GAMBO 2.35 mm				
Iso 500 103 137		010	015	023

TA...RXE


Frese per Parallelometro coniche
Testa arrotondata
Taglio RXE: Incrociato Super grosso (doppio anello nero)



	Diam Ø. 1/10 mm - L mm - gradi	023 -15 - 2°	035 -9 - 2°
CODICE: TA...RXE		017	018
Hp GAMBO 2.35 mm			
Iso 500 103 200		023	035

TA...RGE


Frese per Parallelometro coniche
Testa arrotondata
Taglio RGE: Incrociato grosso (anello nero)



	Diam Ø. 1/10 mm - L mm - gradi	028 -13 - 4°	036 -13 - 6°
CODICE: TA...RGE		117	217
Hp GAMBO 2.35 mm			
Iso 500 103 200		220 028	220 036

TA...KR


Frese per Parallelometro coniche
Testa arrotondata
Taglio X: incrociato (anello blu)



	Diam Ø. 1/10 mm - L mm - gradi	023 -15 - 2°	028 -13 - 4°	036 -13 - 6°
CODICE: TA...KR		017	117	217
Hp GAMBO 2.35 mm				
Iso 500 103 200		190 023	190 028	190 036

TA...K


Frese per Parallelometro coniche
Testa arrotondata
Taglio F: Fine (anello rosso)



	Diam Ø. 1/10 mm - L mm - gradi	023 -15 - 2°	028 -13 - 4°	036 -13 - 6°
CODICE: TA...K		017	117	217
Hp GAMBO 2.35 mm				
Iso 500 103 200		135 023	135 028	135 036

TA...KF

Frese per Parallelometro coniche
Testa arrotondata
Taglio SF: Superfine (anello giallo)



	Diam Ø. 1/10 mm - L mm - gradi	023 -15 - 2°	028 -13 - 4°	036 -13 - 6°
CODICE: TA...KF		017	117	217
Hp GAMBO 2.35 mm				
Iso 500 103 200		103 023	103 028	103 036

TA

Frese per
Parallelometro
coniche

Testa Piatta
Taglio F: Fine
(senza anello)


Taglio X :Incrociato



Diam Ø. 1/10 mm – L mm - gradi		023 -15 -2°		023 -15 -2°	
CODICE: TA ...		015K		015KR	
Hp GAMBO 2.35 mm					
Iso 500 103 186		175 023		190 023	

WA


Frese elicoidali
Per fresaggi in cera



Diam Ø. 1/10 mm – L mm - gradi		010 -9 -0°	012 -11 -0°	023 -13 -2°	031 -13 -4°	040 -13 -6°	
CODICE: WA...KR		010	012	017	117	217	
Hp GAMBO 2.35 mm							
Iso 500 103 200		377 010	377 012	377 023	377 031	377 040	

WA


Raschietti
per cera



Diam Ø. 1/10 mm – L mm - gradi		016 -15 -0°	023 -15 -2°	030 -13 -4°	040 -13 -6°	
CODICE: WA...		090	060	070	080	
Hp GAMBO 2.35 mm						
Iso 310 104 471 377 ...		377 016	377 023	377 030	377 040	

WA 356


Frese elicoidali
"Cavaturacciolo"
coniche
Per fresaggi in cera



Diam Ø. 1/10 mm – L mm - gradi		023 -13 -2°
CODICE: WA 356...		017
Hp GAMBO 2.35 mm		
Iso 500 103 200		356 023

WA 364


Frese elicoidali
"Cavaturacciolo"
cilindriche
Per fresaggi in cera



Diam Ø. 1/10 mm – L mm - gradi		010 -9 -0°	015 -11 -0°
CODICE: WA 364...		010	015
Hp GAMBO 2.35 mm			
Iso 500 103 137		364 010	364 015

PA 208

Frese
Per forare



Gambo Iso	CODICE:	L mm	9.0	10	11	
Hp 2.35 mm	PA 208...	Ø 1/10mm	007	010	012	
Iso 500 103 417 364 ...						